

Anhang zu Tätigkeitsbericht Zucht 2024

Zuchtwerte aller vollständig geprüften Königinnen mit dem Jahrgang 2023

Rassenzucht- organisation	Züchter	Zuchtbuch- nummer	Jahrgang Königin	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Hygiene- verhalten	Varroabefalls- entwicklung	Durchschnitt
50	111	60250	2023	111	102	103	118	112	111	122
50	111	60249	2023	124	89	92	128	106	113	119
50	111	60232	2023	113	95	97	122	110	102	118
50	111	60243	2023	110	100	101	117	110	114	118
50	111	60246	2023	105	103	104	115	111	115	118
50	111	60239	2023	108	101	102	115	107	115	116
50	111	60236	2023	114	93	95	121	109	106	115
50	111	60237	2023	117	89	91	123	110	107	115
50	111	60248	2023	106	98	99	115	115	113	115
50	111	60235	2023	96	98	96	102	106	108	99
50	121	10210	2023	116	87	90	112	101	79	103
50	121	10195	2023	110	91	92	103	97	91	97
50	121	10201	2023	108	80	79	100	97	84	82
50	133	10114	2023	113	78	80	112	104	86	94
50	133	10120	2023	107	83	84	106	103	86	92
50	133	10150	2023	107	80	81	105	108	89	91
50	140	50003	2023	107	102	104	108	104	106	112
50	140	50119	2023	104	104	106	103	103	103	110
50	140	50120	2023	103	105	107	103	101	105	109
50	140	50006	2023	102	101	102	105	102	105	106
50	140	50011	2023	101	103	103	100	104	111	105
50	140	50122	2023	110	92	94	110	104	111	105
50	144	40123	2023	98	93	89	100	90	96	86
50	144	40044	2023	91	99	94	93	91	100	85
50	144	40051	2023	86	99	94	89	95	102	83
50	144	40120	2023	90	96	92	92	95	98	83
50	144	40056	2023	87	98	93	90	94	98	82
50	144	40046	2023	85	98	93	90	94	98	81
50	144	40066	2023	85	96	90	86	98	99	79
50	144	40060	2023	94	94	89	91	84	90	77
50	155	70499	2023	98	101	101	99	109	106	103
50	155	70490	2023	92	97	95	92	105	101	91

Durchschnitt	Varroabefalls- entwicklung	Hygiene- verhalten	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
88	97	106	95	87	89	96	2023	70482	155	50
88	98	101	93	94	97	89	2023	70488	155	50
85	103	108	93	86	88	93	2023	70491	155	50
80	104	103	90	84	87	95	2023	70483	155	50
109	98	108	109	99	97	105	2023	40483	86	50
104	100	108	99	100	100	101	2023	40476	86	50
103	104	102	102	101	100	102	2023	40473	86	50
100	101	98	101	100	100	100	2023	40468	86	50
100	100	99	99	101	102	99	2023	40479	86	50
100	101	101	102	97	97	103	2023	40485	86	50
99	100	96	102	102	102	97	2023	40480	86	50
98	102	103	95	102	102	94	2023	40478	86	50
109	118	107	113	96	96	108	2023	60199	159	50
105	118	107	108	94	96	106	2023	60205	159	50
104	116	107	108	94	96	103	2023	60197	159	50
102	119	111	101	95	98	100	2023	60208	159	50
102	115	109	104	95	98	98	2023	60209	159	50
101	124	104	111	89	91	105	2023	60194	159	50
101	120	105	102	98	101	95	2023	60207	159	50
100	120	106	109	89	91	105	2023	60201	159	50
100	125	106	112	88	89	104	2023	60202	159	50
99	133	106	101	93	97	100	2023	60196	159	50
96	122	109	99	92	96	97	2023	60198	159	50
95	116	103	104	89	92	101	2023	60195	159	50
106	111	96	103	108	108	98	2023	50242	172	50
96	97	94	97	103	104	93	2023	50258	172	50
98	98	99	112	85	82	118	2023	10017	169	50
97	97	99	104	91	89	110	2023	10023	169	50
86	92	98	99	84	84	106	2023	10038	169	50
83	99	96	82	99	100	89	2023	70298	170	50
83	99	96	77	100	103	89	2023	70308	170	50
83	99	98	79	100	102	87	2023	70335	170	50
84	99	100	80	99	101	88	2023	70324	170	50
85	99	101	81	98	100	89	2023	70311	170	50
85	99	102	83	97	99	89	2023	70328	170	50
86	99	97	84	98	99	92	2023	70300	170	50
92	99	104	83	102	103	92	2023	70310	170	50
93	99	97	90	100	100	100	2023	70307	170	50
93	99	99	87	99	99	100	2023	70312	170	50

Durchschnitt	Varroabefalls- entwicklung	Hygiene- verhalten	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
105	102	94	116	95	95	109	2023	60287	175	50
103	109	98	108	101	102	97	2023	60284	175	50
103	110	93	110	100	101	102	2023	60295	175	50
102	106	98	103	103	106	95	2023	60289	175	50
101	106	102	100	101	103	95	2023	60288	175	50
100	111	104	103	97	99	95	2023	60290	175	50
99	100	100	99	101	104	93	2023	60285	175	50
97	111	96	103	99	102	94	2023	60299	175	50
104	98	111	99	97	96	105	2023	70224	66	50
102	98	107	96	98	97	105	2023	70226	66	50
101	98	109	102	91	89	110	2023	70200	66	50
100	98	113	93	98	97	100	2023	70227	66	50
99	98	109	93	98	99	98	2023	70208	66	50
99	98	106	94	100	99	98	2023	70222	66	50
99	98	109	95	96	96	102	2023	70235	66	50
98	98	111	97	94	93	102	2023	70207	66	50
97	98	105	95	98	98	98	2023	70196	66	50
97	98	106	92	99	99	97	2023	70218	66	50
96	98	109	95	94	94	99	2023	70220	66	50
96	98	106	95	97	96	98	2023	70223	66	50
96	98	102	97	95	94	105	2023	70238	66	50
96	98	109	101	88	87	108	2023	70239	66	50
95	98	110	92	96	97	96	2023	70204	66	50
94	98	103	96	93	93	103	2023	70195	66	50
94	98	102	95	95	95	100	2023	70198	66	50
94	98	104	95	95	95	98	2023	70211	66	50
94	98	109	94	94	95	97	2023	70214	66	50
94	98	107	96	92	93	99	2023	70215	66	50
94	98	107	94	94	94	99	2023	70216	66	50
93	98	109	88	95	95	99	2023	70202	66	50
93	98	103	99	91	90	103	2023	70203	66	50
93	98	104	101	87	86	107	2023	70206	66	50
89	98	103	94	90	91	99	2023	70234	66	50
127	97	108	114	110	107	117	2023	15026	62	50
124	98	108	111	110	107	116	2023	15027	62	50
121	101	108	109	106	104	115	2023	15029	62	50
115	100	105	105	106	106	110	2023	15033	62	50
99	97	109	91	101	103	94	2023	70019	66	50
99	97	111	92	100	102	94	2023	70030	66	50

Durchschnitt	Varroabefalls- entwicklung	Hygiene- verhalten	Schwarm- neigung	Wabensitz	Santmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
95	97	107	87	100	102	92	2023	70026	66	50
94	97	106	94	95	97	95	2023	70027	66	50
94	97	110	93	94	97	93	2023	70035	66	50
93	97	106	87	102	105	87	2023	70006	66	50
93	97	109	88	99	102	88	2023	70015	66	50
93	97	110	87	100	103	86	2023	70023	66	50
93	97	101	93	98	100	94	2023	70034	66	50
93	97	106	91	96	99	92	2023	70046	66	50
92	97	105	91	96	98	93	2023	70038	66	50
91	97	107	92	94	96	91	2023	70014	66	50
88	97	102	90	95	98	90	2023	70002	66	50
100	97	102	98	100	100	99	2023	70079	66	50
95	97	102	90	99	101	96	2023	70054	66	50
95	97	102	95	95	96	102	2023	70062	66	50
94	97	101	93	96	97	100	2023	70078	66	50
94	97	96	95	96	96	103	2023	70094	66	50
93	97	102	82	105	108	89	2023	70087	66	50
91	97	101	87	99	102	92	2023	70055	66	50
91	97	104	87	99	102	91	2023	70074	66	50
90	97	103	80	104	107	85	2023	70115	66	50
88	97	105	81	100	104	85	2023	70071	66	50
88	97	97	89	98	100	91	2023	70091	66	50
87	97	96	90	95	97	95	2023	70058	66	50
85	97	92	87	99	102	89	2023	70051	66	50
84	97	90	86	99	102	89	2023	70067	66	50
80	97	95	81	93	96	93	2023	70083	66	50
109	97	107	94	112	111	95	2023	70116	66	50
108	97	106	95	112	111	92	2023	70131	66	50
108	97	105	97	110	109	95	2023	70147	66	50
107	97	104	98	108	106	98	2023	70104	66	50
107	97	105	92	114	113	91	2023	70122	66	50
107	97	107	93	114	113	88	2023	70158	66	50
106	97	107	93	111	111	91	2023	70099	66	50
105	97	108	90	114	115	84	2023	70098	66	50
105	97	110	94	108	108	90	2023	70102	66	50
105	97	103	98	108	107	94	2023	70120	66	50
105	97	107	93	111	111	88	2023	70127	66	50
105	97	106	93	111	111	89	2023	70139	66	50
105	97	102	95	111	110	92	2023	70143	66	50

Durchschnitt	Varroabefalls- entwicklung	Hygiene- verhalten	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
104	97	102	98	109	108	93	2023	70108	66	50
104	97	108	93	109	109	89	2023	70150	66	50
104	97	107	89	114	115	84	2023	70166	66	50
104	97	107	92	109	109	91	2023	70171	66	50
103	97	102	96	107	106	96	2023	70106	66	50
103	97	98	92	115	114	88	2023	70163	66	50
103	97	106	94	109	109	89	2023	70182	66	50
102	97	108	95	105	105	91	2023	70119	66	50
102	97	102	94	111	110	89	2023	70123	66	50
102	97	108	93	106	107	89	2023	70178	66	50
102	97	108	94	106	106	90	2023	70186	66	50
101	97	106	90	111	111	85	2023	70114	66	50
101	97	113	88	107	107	87	2023	70118	66	50
100	97	107	90	110	110	84	2023	70103	66	50
100	97	102	92	109	109	88	2023	70126	66	50
100	97	104	93	108	107	88	2023	70130	66	50
99	97	111	95	101	102	90	2023	70135	66	50
98	97	99	90	111	112	84	2023	70159	66	50
98	97	103	92	108	108	85	2023	70174	66	50
97	97	103	98	100	99	94	2023	70112	66	50
97	97	101	88	112	112	82	2023	70179	66	50
97	95	112	87	101	102	93	2023	70394	66	50
97	95	106	90	100	101	96	2023	70395	66	50
95	95	101	92	98	98	101	2023	70386	66	50
93	95	106	82	104	106	86	2023	70398	66	50
91	95	109	82	103	105	83	2023	70387	66	50
91	95	112	86	95	97	90	2023	70406	66	50
104	95	119	99	91	90	108	2023	70462	66	50
101	95	116	99	90	90	107	2023	70438	66	50
101	95	120	99	86	85	112	2023	70443	66	50
100	95	118	92	96	97	98	2023	70435	66	50
100	95	115	95	93	94	103	2023	70439	66	50
100	95	116	94	94	94	102	2023	70463	66	50
99	95	116	94	91	91	107	2023	70454	66	50
99	95	112	99	90	90	107	2023	70470	66	50
98	95	108	102	86	85	116	2023	70446	66	50
97	95	115	95	90	92	101	2023	70459	66	50
97	95	117	93	91	93	99	2023	70466	66	50
97	95	113	95	90	90	105	2023	70474	66	50

Durchschnitt	Varroabefalls- entwicklung	Hygiene- verhalten	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
96	95	108	96	92	92	104	2023	70467	66	50
94	95	114	84	98	100	93	2023	70434	66	50
93	95	110	90	95	97	94	2023	70450	66	50
102	104	95	108	97	94	110	2023	40033	85	50
98	106	94	101	97	96	107	2023	40105	85	50
96	102	95	100	96	96	105	2023	40104	85	50
94	106	93	105	90	91	109	2023	40029	85	50
91	98	94	98	96	97	97	2023	40106	85	50
91	102	96	92	98	99	96	2023	40108	85	50
90	101	90	91	103	104	92	2023	40028	85	50
90	107	91	96	96	96	101	2023	40035	85	50
84	112	95	89	93	95	95	2023	40110	85	50
106	105	96	110	100	99	106	2023	40089	151	50
102	105	98	111	92	91	113	2023	40007	151	50
102	95	108	101	99	100	97	2023	40009	151	50
100	105	108	113	84	83	113	2023	40004	151	50
99	107	107	99	95	97	100	2023	40070	151	50
98	104	99	107	93	93	105	2023	40078	151	50
95	101	101	102	93	95	99	2023	40082	151	50
93	104	97	102	94	95	98	2023	40071	151	50

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
91	91	93	92	95	93	2023	8826	10	51
84	90	75	87	89	86	2023	7961	10	51
86	90	76	93	95	87	2023	7854	10	51
85	85	85	89	93	89	2023	7782	10	51
87	90	85	88	92	91	2023	7482	10	51
88	92	85	88	93	90	2023	3621	10	51
83	90	71	88	92	84	2023	3571	10	51
88	84	91	94	96	95	2023	1481	10	51
86	90	89	81	85	95	2023	1255	10	51
89	91	89	86	88	99	2023	8512	10	51
84	91	89	78	80	91	2023	8092	10	51
87	91	88	83	83	95	2023	8031	10	51

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
89	94	88	86	88	92	2023	6511	10	51
91	93	93	87	89	95	2023	6248	10	51
90	92	93	88	90	95	2023	5810	10	51
86	87	88	88	91	90	2023	5741	10	51
90	91	93	89	91	96	2023	4824	10	51
91	93	93	89	91	96	2023	4636	10	51
91	92	91	91	93	94	2023	3513	10	51
90	94	90	86	88	94	2023	1746	10	51
89	84	97	98	95	92	2023	7936	110	51
88	86	95	91	89	93	2023	6996	110	51
89	83	96	98	96	91	2023	6832	110	51
88	84	99	94	92	93	2023	5938	110	51
89	85	91	97	95	93	2023	5859	110	51
88	84	99	94	89	93	2023	5857	110	51
91	85	100	99	97	94	2023	3095	110	51
95	95	106	94	91	92	2023	8234	218	51
81	83	103	78	74	86	2023	6756	218	51
90	90	102	92	91	87	2023	6105	218	51
88	86	103	90	89	87	2023	5895	218	51
92	92	109	87	88	89	2023	5888	218	51
95	95	103	95	92	92	2023	4685	218	51
83	84	92	87	83	84	2023	4126	218	51
86	86	87	89	90	91	2023	53	305	51
85	86	87	86	87	92	2023	51	305	51
84	84	87	86	88	92	2023	49	305	51
84	85	86	87	88	90	2023	46	305	51
86	81	87	95	95	94	2023	40	305	51
86	84	95	87	88	95	2023	35	305	51
85	83	95	90	88	91	2023	34	305	51
86	85	95	89	88	92	2023	33	305	51
87	83	88	95	95	96	2023	32	305	51
85	82	87	93	92	95	2023	29	305	51
86	82	87	92	92	96	2023	23	305	51
85	82	86	92	92	94	2023	12	305	51
86	83	86	93	93	94	2023	11	305	51
84	85	97	85	86	82	2023	94	146	51
82	85	96	81	83	82	2023	92	146	51
82	83	98	81	82	86	2023	87	146	51
84	85	97	86	86	82	2023	86	146	51

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
85	85	98	88	86	83	2023	85	146	51
76	85	75	75	78	82	2023	16	146	51
78	85	75	84	87	76	2023	10	146	51
81	85	95	80	78	81	2023	2	146	51
86	84	101	86	86	92	2023	9690	25	51
90	90	103	86	87	96	2023	8978	25	51
86	86	100	85	86	88	2023	8107	25	51
88	87	102	88	89	88	2023	5751	25	51
88	88	102	87	87	90	2023	3782	25	51
90	90	101	89	91	91	2023	2738	25	51
90	84	94	97	97	98	2023	68091	300	51
90	83	99	99	97	96	2023	30151	300	51
87	85	84	94	95	93	2023	7449	300	51
85	86	73	96	97	88	2023	7202	300	51
87	85	85	97	95	93	2023	6871	300	51
87	84	87	95	96	95	2023	6572	300	51
87	84	90	91	93	95	2023	3335	300	51
89	86	89	96	95	92	2023	86	78	51
92	88	91	102	101	96	2023	85	78	51
90	87	90	96	95	95	2023	79	78	51
88	93	84	90	89	87	2023	8695	38	51
86	90	99	81	82	84	2023	6907	38	51
88	91	96	87	86	85	2023	3781	38	51
87	89	100	87	87	86	2023	2900	38	51
88	91	97	87	86	88	2023	1861	38	51
84	90	89	81	84	82	2023	9043	45	51
93	97	94	91	92	90	2023	7830	45	51
89	95	93	86	85	86	2023	6809	45	51
87	92	95	85	83	87	2023	6342	45	51
88	97	88	86	85	80	2023	6167	45	51
86	91	88	87	92	82	2023	5952	45	51
88	90	97	87	88	88	2023	5684	45	51
87	92	95	83	85	84	2023	5224	45	51
90	96	96	89	89	84	2023	5142	45	51
86	94	94	79	82	84	2023	3015	45	51
78	90	78	78	74	77	2023	2307	45	51
92	95	101	86	90	90	2023	1893	45	51
84	89	85	84	83	89	2023	9245	35	51
86	90	84	89	93	85	2023	8286	35	51

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
86	89	88	87	88	89	2023	7055	35	51
83	83	87	88	90	88	2023	6415	35	51
85	93	84	81	84	90	2023	6048	35	51
85	85	87	88	88	93	2023	5539	35	51
81	87	70	88	90	84	2023	1506	35	51
84	86	83	85	88	90	2023	1334	35	51
84	87	78	92	92	86	2023	38	78	51
86	84	85	93	94	95	2023	90431	93	51
94	86	100	99	99	101	2023	64741	93	51
90	85	95	96	96	98	2023	7100	93	51
87	83	90	95	95	95	2023	5658	93	51
89	86	91	93	92	97	2023	5082	93	51
88	83	91	95	95	97	2023	2126	93	51
88	83	91	97	97	95	2023	1024	93	51
85	85	99	85	84	92	2023	94	78	51
92	86	101	96	96	97	2023	77	78	51
92	85	94	100	99	101	2023	56	78	51
86	85	91	88	88	94	2023	47	78	51
92	86	101	97	96	96	2023	42	78	51
88	95	86	86	87	89	2023	86561	78	51
95	93	105	93	94	96	2023	36001	78	51
92	92	95	93	94	95	2023	9810	78	51
88	92	90	89	90	84	2023	8848	78	51
88	92	92	89	90	86	2023	7813	78	51
87	89	91	89	90	88	2023	7378	78	51
90	94	93	88	90	91	2023	5281	78	51
90	97	92	86	87	88	2023	3063	78	51
103	101	109	100	100	97	2023	8180	91	51
103	103	105	100	99	96	2023	8170	91	51
93	93	91	98	97	91	2023	7658	91	51
97	96	109	94	90	99	2023	6827	91	51
102	100	106	100	99	100	2023	6288	91	51
98	100	105	91	91	99	2023	5996	91	51
102	103	103	100	101	96	2023	4677	91	51
96	96	104	93	88	101	2023	4151	91	51
97	98	108	91	90	95	2023	2316	91	51
96	102	97	87	88	97	2023	1687	91	51
85	93	99	71	71	95	2023	8971	93	51
89	97	97	79	79	92	2023	8955	93	51

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
87	91	99	80	82	89	2023	8226	93	51
85	93	91	79	80	87	2023	7181	93	51
82	93	87	68	70	93	2023	4822	93	51
81	93	77	76	78	82	2023	4092	93	51
86	95	94	75	77	87	2023	2823	93	51
84	89	95	75	76	92	2023	2697	93	51
90	92	94	90	90	89	2023	87	90	51
90	93	84	93	94	90	2023	70	90	51
94	94	87	100	101	93	2023	49	90	51
89	90	85	95	95	90	2023	25	90	51
87	82	96	93	94	93	2023	8510	122	51
87	80	94	95	97	93	2023	7241	122	51
88	85	95	95	96	88	2023	6078	122	51
87	85	94	90	92	89	2023	4204	122	51
89	84	93	98	99	89	2023	3205	122	51
85	80	92	95	96	87	2023	2195	122	51
86	85	92	92	93	86	2023	1581	122	51

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
96	89	100	101	102	105	2023	444	301	52
96	89	100	101	101	106	2023	38	100	52
101	97	100	103	103	103	2023	34	100	52
100	93	100	104	103	106	2023	31	100	52
99	93	100	102	102	106	2023	22	100	52
100	94	100	104	104	106	2023	18	100	52
98	91	100	101	101	108	2023	10	301	52
98	92	99	102	101	105	2023	9	301	52
98	93	98	101	101	105	2023	8	301	52
99	92	100	101	101	108	2023	7	301	52
95	92	96	98	97	101	2023	30	191	52
90	82	97	99	97	100	2023	29	191	52
93	91	94	96	95	97	2023	23	191	52
94	90	96	99	98	99	2023	22	191	52
92	89	96	97	95	98	2023	21	191	52

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
89	86	94	92	92	95	2023	81	134	52
86	85	93	89	86	94	2023	46	134	52
91	88	95	95	93	97	2023	45	134	52
98	94	102	101	96	102	2023	95	116	52
101	97	103	106	101	102	2023	94	116	52
102	98	104	105	99	105	2023	93	116	52
104	97	113	103	98	108	2023	33	116	52
101	93	113	101	97	108	2023	32	116	52
98	91	112	98	96	106	2023	31	116	52
103	93	120	103	100	109	2023	30	116	52
103	94	119	104	101	106	2023	29	116	52
100	88	119	102	100	109	2023	28	116	52
105	95	114	108	106	106	2023	25	116	52
99	92	111	102	98	103	2023	22	116	52
92	99	106	78	77	94	2023	146	13	52
91	94	106	82	82	93	2023	145	13	52
90	100	87	88	88	83	2023	144	13	52
90	96	98	86	86	86	2023	143	13	52
90	96	97	88	87	84	2023	142	13	52
89	96	96	84	83	87	2023	141	13	52
87	98	93	77	80	82	2023	139	13	52
86	96	94	76	75	86	2023	138	13	52
89	93	95	88	89	84	2023	137	13	52
86	92	97	82	82	85	2023	136	13	52
89	90	99	88	89	91	2023	135	13	52
80	84	84	78	80	89	2023	9	15	52
79	81	70	87	90	91	2023	8	15	52
80	84	86	78	79	94	2023	7	15	52
85	85	83	88	92	94	2023	3	15	52
80	82	82	82	86	91	2023	1	15	52
87	77	88	95	99	104	2023	41	154	52
87	78	87	97	100	101	2023	38	154	52
87	79	86	96	100	99	2023	31	154	52
86	83	92	94	93	86	2023	82	100	52
90	89	93	95	93	89	2023	81	100	52
89	86	94	95	93	92	2023	79	100	52
90	87	94	94	94	98	2023	85	100	52
91	89	94	94	93	96	2023	84	100	52
98	87	106	103	101	108	2023	18	191	52

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
94	84	106	101	99	101	2023	9	191	52
94	78	107	107	106	105	2023	8	191	52
96	84	107	103	102	107	2023	7	191	52
98	88	106	104	104	102	2023	6	191	52
96	86	106	101	102	103	2023	5	191	52
96	86	106	103	102	102	2023	4	191	52
101	87	109	109	110	107	2023	3	191	52
101	84	112	111	112	109	2023	2	191	52
98	83	104	110	110	106	2023	1	191	52
82	78	89	93	92	86	2023	11	218	52
84	80	87	96	96	85	2023	4	218	52
80	75	87	97	94	82	2023	3	218	52
90	90	83	95	93	97	2023	75	154	52
83	85	84	85	85	94	2023	73	154	52
90	87	85	100	97	94	2023	28	225	52
92	90	85	102	99	95	2023	24	225	52
98	86	100	108	107	105	2023	12	24	52
94	80	100	107	106	103	2023	11	24	52
99	88	102	109	107	107	2023	10	24	52
100	87	107	109	108	107	2023	9	24	52
92	83	90	109	108	95	2023	7	24	52
99	83	102	117	115	100	2023	6	24	52
97	82	102	113	110	105	2023	5	24	52
93	79	99	106	108	103	2023	4	24	52
97	86	101	108	108	101	2023	3	24	52
96	84	101	108	108	100	2023	2	24	52
97	84	101	110	109	100	2023	1	24	52
88	87	93	91	91	94	2023	55	253	52
84	81	91	89	90	93	2023	54	253	52
82	78	92	86	87	93	2023	53	253	52
99	99	91	103	101	100	2023	12	380	52
106	95	99	115	116	113	2023	27	154	52
103	93	98	112	112	110	2023	23	154	52
102	92	99	106	108	114	2023	20	154	52
97	92	97	101	98	105	2023	19	707	52
95	93	101	94	92	100	2023	7	707	52
102	97	101	105	104	106	2023	5	707	52
99	92	105	100	99	106	2023	1	707	52
102	94	108	106	106	103	2023	54	707	52

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
100	91	107	107	106	100	2023	52	707	52
100	87	103	111	108	111	2023	46	707	52
104	92	102	114	111	107	2023	45	707	52
99	84	102	111	108	109	2023	43	707	52
97	85	100	108	105	104	2023	41	707	52
105	94	103	114	111	110	2023	40	707	52
97	94	86	109	105	98	2023	76	707	52
89	86	87	98	94	97	2023	74	707	52
99	94	92	109	105	102	2023	67	707	52
97	94	95	102	100	100	2023	17	225	52
96	95	93	94	95	102	2023	14	225	52
99	91	96	107	105	103	2023	13	225	52
96	93	95	97	95	103	2023	9	225	52
102	94	99	110	107	106	2023	6	225	52
107	101	107	109	107	106	2023	63	707	52
106	100	106	109	107	104	2023	62	707	52
103	98	106	107	105	102	2023	60	707	52
104	98	106	109	107	103	2023	56	707	52
102	100	96	107	104	100	2023	13	707	52
106	100	107	109	107	106	2023	11	707	52
102	104	95	104	102	98	2023	37	707	52
80	87	80	80	78	89	2023	34	707	52
78	85	74	80	79	88	2023	32	707	52
96	95	93	99	97	99	2023	29	707	52
100	98	95	104	102	98	2023	27	707	52
101	99	96	104	102	102	2023	23	707	52
100	92	108	105	103	104	2023	616	7	52
99	91	109	101	99	106	2023	615	7	52
102	92	109	108	106	104	2023	614	7	52
101	91	109	107	105	105	2023	613	7	52
93	88	99	96	95	99	2023	609	7	52
105	96	110	110	108	107	2023	603	7	52
103	93	110	109	107	107	2023	602	7	52
99	89	109	105	103	104	2023	411	7	52
99	92	108	102	100	102	2023	405	7	52
103	96	104	107	104	107	2023	61	7	52
103	94	105	108	104	111	2023	50	7	52
104	95	103	112	108	107	2023	5	99	52
101	95	103	106	102	107	2023	3	99	52

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
99	97	100	98	95	105	2023	2	99	52
101	92	105	107	107	103	2023	43	26	52
97	88	104	104	106	99	2023	42	26	52
96	97	101	95	93	97	2023	29	790	52
92	91	100	90	92	98	2023	27	790	52
95	91	103	93	91	104	2023	24	790	52
96	96	101	94	95	99	2023	20	790	52
100	94	105	101	101	105	2023	19	790	52
108	106	102	112	110	101	2023	33	886	52
102	89	106	113	110	110	2023	40	225	52
95	91	101	98	96	102	2023	37	225	52
96	88	101	102	100	103	2023	32	225	52
101	91	103	108	105	106	2023	31	225	52
115	115	112	109	110	106	2023	106	45	52
115	117	110	109	111	102	2023	103	32	52
115	117	110	109	111	101	2023	102	32	52
110	107	110	109	111	102	2023	101	32	52
116	115	113	114	115	100	2023	57	32	52
114	115	108	108	109	102	2023	54	32	52
115	116	113	110	109	100	2023	50	32	52
111	105	112	112	114	105	2023	44	32	52
117	113	113	115	116	105	2023	43	32	52
112	114	111	104	102	106	2023	37	32	52
115	119	110	106	107	104	2023	29	32	52
112	115	107	106	107	98	2023	28	32	52
114	119	108	104	105	103	2023	26	32	52
112	108	113	107	110	105	2023	13	186	52
105	104	106	99	99	106	2023	48	140	52
103	104	106	97	96	106	2023	43	140	52
108	104	108	105	105	110	2023	38	140	52
104	106	104	96	95	106	2023	37	140	52
107	109	105	99	99	106	2023	36	140	52
104	105	105	99	100	102	2023	35	140	52
104	103	105	99	99	106	2023	34	140	52
103	103	106	97	96	105	2023	31	140	52
91	89	93	96	95	94	2023	514	7	52
96	93	102	98	97	96	2023	511	7	52
93	87	99	100	100	95	2023	510	7	52
103	94	105	108	107	106	2023	326	7	52

Durchschnitt	Varroaindex	Schwarm- neigung	Wabensitz	Sanftmut	Honig	Jahrgang Königin	Zuchtbuch- nummer	Züchter	Rassenzucht- organisation
103	97	105	107	106	103	2023	319	7	52
93	89	100	95	94	100	2023	313	7	52
94	89	100	97	96	101	2023	301	7	52
97	99	93	97	97	95	2023	16	92	52
96	96	95	97	97	94	2023	14	92	52
99	101	94	101	99	95	2023	12	92	52
103	101	99	107	106	99	2023	7	92	52
103	102	99	107	107	98	2023	4	92	52

Rassenzuchtorganisationen

50 mellifera.ch

51 SAR

52 SCIV